

**MEMO NO. 341/ SOR-10/ B.P./2010/
OFFICE OF THE ENGINEER-IN-CHIEF
WATER RESOURCES DEPARTMENT
Shivnath Bhawan, Sector-19, North Block, Atal Nagar, Raipur**

Raipur, Dated /05/2019

To,

**All Chief Engineer
All Superintending Engineer
All Executive Engineer (in Charge of Division)
Water Resources Department, Chhattisgarh**

Sub : Amendment No. 13 to the schedule of Rates for works of Water Resources Department in Chhattisgarh in force from 01.08.2010.

The Schedule of Rates for Water Resources Department in Chhattisgarh is in force from 01.08.2010. In continuation to the amendment No. 12 to this SOR (issued vide letter no. 341/SOR-10/B.P./2010/4693/ Raipur, Dated 15.04.2019) the following new amendment are hereby issued in the above Stated Schedule of Rates :-

AMENDMENT NO. 13

As per IS Code 456 : 2000, clause 9.2, in SOR "Chapter 16 – RCC and form work" in note 3 (c) table is amended as below :

Concrete Mix	Minimum Cement per Cum of Concrete	Targeted Mean Strength of Cube of the Concrete at 28 days	Acceptable Criteria for Strength of Cube of Concrete at 28 days
M-20	390 kg	26.6 N/sqmm	24 N/sqmm
M-25	410 kg	31.6 N/sqmm	29 N/sqmm
M-30	420 kg	38.5 N/sqmm	34 N/sqmm
M-35	428 kg	43.5 N/sqmm	39 N/sqmm
M-40	435 kg	48.5 N/sqmm	44 N/sqmm

Encl : Nil

Sd/-
(Jayant Pawar)
Engineer-in-Chief
Water Resources Department
Atal Nagar, Raipur

Endt. NO. 341/ SOR-10/ B.P./2010/ 6104
Copy Forwarded to:

Raipur, Dated 22/05/2019

1. The Accountant General, Chhattisgarh, Near Vidhan Sabha, Raipur.
2. The Secretary, Govt. of Chhattisgarh, Water Resources Department, Mantralaya, Mahanadi Bhawan, Atal Nagar, Raipur.
3. The Chief Technical Examiner, Block 3, Indrawati Bhavan, Atal Nagar, Raipur.
4. The Engineer-in-Chief, PWD Sirpur Bhavan, Atal Nagar, Raipur.
5. The Engineer-in-Chief, PHED Indrawati Bhavan, Atal Nagar, Raipur.
6. The Director, Rate & Cost, CWC, Sewa Bhavan R.K. Puram, New Delhi.
7. The Chief Engineer/Superintending Engineer/Executive Engineer -----
8. The Executive Engineer MIS, Data Center Sihawa Bhavan Campus, Civil line Raipur, for uploading amendment in departmental website.

Encl : Nil

Sd/-
(Jayant Pawar)
Engineer-in-Chief
Water Resources Department
Atal Nagar, Raipur
22.5